**** CONFIDENTIAL **** **** SUMMARY SCORESHEET **** **** FOR COMPUTING PROJECTED HRS SCORE ****



**** Do Not Cite or Quote ****

Site Name: Ames Rubber

Region: 2

City, County, State: Wantage, Sussex, NJ

Evaluator: Ray Pogwist

NJ

EPA ID#: NJD000818518

Date: 5/8/2008

Lat/Long: 41 11 35 / 74 34 50

T/R/S:

Congressional District:


This Scoresheet is for: Other

Scenario Name: Reassessmnet

Description: GW observed, SW observed, Level 1, Level 2

	S pathway	S ² pathway
Ground Water Migration Pathway Score (Sgw)	9.7	94.09
Surface Water Migration Pathway Score (Ssw)	28.14	791.8596
Soil Exposure Pathway Score (S _s)		
Air Migration Score (Sa)		
$S_{gw}^2 + S_{sw}^2 + S_s^2 + S_a^2$		885.9496
$(S_{gw}^2 + S_{sw}^2 + S_s^2 + S_a^2)/4$		221.4874
$/(S_{gw}^2 + S_{sw}^2 + S_s^2 + S_a^2)/4$		14.88

υ Pathways not assigned a score (explain):



Factor categories and factors	Maximum Value	Value /	Assigned
Aquifer Evaluated:			
Likelihood of Release to an Aquifer:			
1. Observed Release	550	550	
2. Potential to Release:	. •		
2a. Containment	10	10	
2b. Net Precipitation	10	3	
2c. Depth to Aquifer	5	· 3	
2d. Travel Time	35 .	35	•
2e. Potential to Release [lines 2a(2b + 2c + 2d)]	500	410	
3. Likelihood of Release (higher of lines 1 and 2e)	550		550
Waste Characteristics:			
4. Toxicity/Mobility	(a)	100	
5. Hazardous Waste Quantity	(a)	1	
6. Waste Characteristics	100		3
Targets:	•		
7. Nearest Well	(b)	5	
8. Population:	•		•
8a. Level I Concentrations	(b)	0	
8b. Level II Concentrations	(b)	0	1
8c. Potential Contamination	(b)	159	
8d. Population (lines 8a + 8b + 8c)	(b)	159	
9. Resources	5	5	
10. Wellhead Protection Area	20	0	
11. Targets (lines 7 + 8d + 9 + 10)	(b)		169
Ground Water Migration Score for an Aquifer:	•		
12. Aquifer Score [(lines 3 x 6 x 11)/82,5000] ^c	100		3.38
Ground Water Migration Pathway Score:		•	
13. Pathway Score (S _{gw}), (highest value from line 12 for all aquifers evaluated) ^c _	100		3.38

a Maximum value applies to waste characteristics category
b Maximum value not applicable
c Do not round to nearest integer

Factor categories and factors	Maximum Value	Value /	Assigned
Watershed Evaluated:	value	·····	
Drinking Water Threat			
ikelihood of Release:			
1. Observed Release	550	0	
2. Potential to Release by Overland Flow:			
2a. Containment	10		
2b. Runoff	10		
2c. Distance to Surface Water	5 [.]	•	
2d. Potential to Release by Overland Flow [lines 2a(2b + 2c)]	35		
3.Potential to Release by Flood:	33		•
3a. Containment (Flood)	10		
	50		
3b. Flood Frequency			
3c. Potential to Release by Flood (lines 3a x 3b)	500		
4. Potential to Release (lines 2d + 3c, subject to a maximum of 500)	500		•
5. Likelihood of Release (higher of lines 1 and 4)	550		0
Naste Characteristics:			
6. Toxicity/Persistence	(a)		
7. Hazardous Waste Quantity	(a)		
8. Waste Characteristics	100		0
Targets:			
9. Nearest Intake	50		
10. Population:		•	
10a. Level I Concentrations	(b)		
10b. Level II Concentrations	(b)		
10c. Potential Contamination	(b)		
10d. Population (lines 10a + 10b + 10c)	(b)		
11. Resources	5	4	
12. Targets (lines 9 + 10d + 11)	(b)		
Drinking Water Threat Score:			
13. Drinking Water Threat Score [(lines 5x8x12)/82,500, subject to a max of 100]	100		0
Human Food Chain Threat			
Likelihood of Release:	•		
14. Likelihood of Release (same value as line 5)	550		. 0
Waste Characteristics:			
15. Toxicity/Persistence/Bioaccumulation	(a)		
16. Hazardous Waste Quantity	(a)	0	
17. Waste Characteristics	1000	Ü	0
Targets:			·
18. Food Chain Individual	50	0	_
	30	U	
19. Population	(h)		
19a. Level I Concentration	(b)		
19b. Level II Concentration	(b)	,	
19c. Potential Human Food Chain Contamination	(b)		
19d. Population (lines 19a + 19b + 19c)	(b)		
20. Targets (lines 18 + 19d)	(b)		
luman Food Chain Threat Score:			
21. Human Food Chain Threat Score [(lines 14x17x20)/82500, subject to max of 100] Environmental Threat	100		0
ikelihood of Release:		•	
22. Likelihood of Release (same value as line 5)	550		0
Naste Characteristics:	•		
23. Ecosystem Toxicity/Persistence/Bioaccumulation	(a)	•	
24. Hazardous Waste Quantity	(a)	0	
	• •		0

Targets:		>
26. Sensitive Environments		
26a. Level I Concentrations	(b)	
26b. Level II Concentrations	(b)	
26c. Potential Contamination	(b)	
26d. Sensitive Environments (lines 26a + 26b + 26c)	(b)	
27. Targets (value from line 26d)	(b)	
Environmental Threat Score:		
28. Environmental Threat Score [(lines 22x25x27)/82,500 subject to a max of 60]	60	0
Surface Water Overland/Flood Migration Component Score for a Watershed		
29. Watershed Score ^c (lines 13+21+28, subject to a max of 100)	100	0
Surface Water Overland/Flood Migration Component Score		٠.
30. Component Score (S _{sw}) ^c (highest score from line 29 for all watersheds evaluated)	100	0

a Maximum value applies to waste characteristics category
b Maximum value not applicable
c Do not round to nearest integer

Table 4-25 Ground Water to Surface Water Migration Co			Assigned
Factor categories and factors	Maximum Value	value	Assigned
Aquifer Evaluated:			
Drinking Water Threat			
Likelihood of Release to an Aquifer:			
1. Observed Release	550	0	
2. Potential to Release:	•		
2a. Containment	10	. 9	,
2b. Net Precipitation	10	6	
2c. Depth to Aquifer	5	3	
2d. Travel Time	35	25	
2e. Potential to Release [lines 2a(2b + 2c + 2d)]	500	306	
3. Likelihood of Release (higher of lines 1 and 2e)	550		306
Naste Characteristics:			
4. Toxicity/Mobility	· (a)	40	
5. Hazardous Waste Quantity	(a)	1	
6. Waste Characteristics	100		2
Targets:			
7. Nearest Well	(b)		
8. Population:	()		
8a. Level I Concentrations	(b)	0	
8b. Level II Concentrations	(b)	0	
8c. Potential Contamination	(b)	159	
8d. Population (lines 8a + 8b + 8c)	(b)	159	
9. Resources	5	.00	
	(b)	159	
10. Targets (lines 7 + 8d + 9) Prinking Water Threat Score:	(D) .	100	
11. Drinking Water Threat Score ([lines 3 x 6 x 10]/82,500, subject to max of 100) Human Food Chain Threat	100		1.18
.ikelihood of Release:	٠.		
12. Likelihood of Release (same value as line 3)	550 .		306
Vaste Characteristics:			
13. Toxicity/Mobility/Persistence/Bioaccumulation	(a)	5000	
14. Hazardous Waste Quantity	(a)	1.	
15. Waste Characteristics	1000		6
Targets:			
16. Food Chain Individual	50		
17. Population			
17a. Level I Concentration	(b)		•
17b. Level II Concentration	(b)		
176. Level in Concentration 17c. Potential Human Food Chain Contamination	(b)	0.3	•
17d. Population (lines 17a + 17b + 17c)	(b)	0.3	
18. Targets (lines 16 + 17d)	(b)	0.0	0.3
luman Food Chain Threat Score:	(6)		;
19. Human Food Chain Threat Score [(lines 12x15x18)/82,500,suject to max of 100]	100		0.00667636 63636364
Environmental Threat			
ikelihood of Release:			
20. Likelihood of Release (same value as line 3)	550		306
Naste Characteristics:			
21. Ecosystem Toxicity/Persistence/Bioaccumulation	(a)	2000	
22. Hazardous Waste Quantity	(a)	1	
	1000	•	6
23. Waste Characteristics			J
Fargets:	,		•
24. Sensitive Environments	/b) .	75	
24a. Level I Concentrations	(b)	75 75	
24b. Level II Concentrations	(b)	73	
-383-			

24c. Potential Contamination	(b)	75	
24d. Sensitive Environments (lines 24a + 24b + 24c)	(b)	159	•
25. Targets (value from line 24d)	(b)		159
Environmental Threat Score:			
26. Environmental Threat Score [(lines 20x23x25)/82,500 subject to a max of 60]	60		3.55
Ground Water to Surface Water Migration Component Score for a Watershed			¥
27. Watershed Score ^c (lines 11 + 19 + 28, subject to a max of 100)	100		4.736676363
			63636
28. Component Score (S _{gs}) ^c (highest score from line 27 for all watersheds evaluated,	100		4.736676363
subject to a max of 100)	· · ·		63636

a Maximum value applies to waste characteristics category
b Maximum value not applicable
c Do not round to nearest integer